

Hinges and Butts

Manufacturer: Hager Hinge Co.

BB1191 – Exterior Openings

BB1279 – Interior Openings

Finish: ANSI 626 or US26D

Acceptable Substitutes: Stanley, Ives

<http://www.hagerco.com>



Full Mortise Standard
Weight Ball Bearing
Hinge with Flat Pins

Locksets

Manufacturer: Best Security Solutions

45H Series – Mortise Locksets

Exterior Openings

High Use/Security Openings

Finish: ANSI 626 or US26D

Lever handle ADA compliant

Acceptable Substitutes: None

<http://www.bestaccess.com>



Mortise Lockset
14H Lever Design

Locksets

Manufacturer: Best Security Solutions

93K Series – Cylindrical Locksets

Interior Openings

Finish: ANSI 626 or US26D

Lever handle ADA compliant

Acceptable Substitutes: None

<http://www.bestaccess.com>



Cylindrical Lockset
14C Lever Design

Interchangeable Cylinders & Cores

Manufacturer: Best Security Solutions

1E Series, 7 Pin – Mortise, Rim and
Cores

Finish: ANSI 626 or US26D

Acceptable Substitutes: None

<http://www.bestaccess.com>



Exit Devices – Wood/Metal Doors

Manufacturer: Von Duprin, Inc.

99 Series Exit Devices
Rim, Mortise, Vertical Rod
Breakaway Lever Trim

Finish: ANSI 626 or US26D

Acceptable Substitutes: None

<http://www.vonduprin.com>



99 Series Push Pad Exit Device
996L Trim with 17 Lever

Exit Devices – Aluminum Doors

Manufacturer: Von Duprin, Inc.

33A Series Exit Devices
Rim, Vertical Rod
Night Latch/Dummy Trim

Finish: ANSI 626 or US26D

Acceptable Substitutes: None

<http://www.vonduprin.com>



33A Series Push Pad Exit Device
Night Latch/Dummy Trim

Door Closers

Manufacturer: LCN Closers


4111 Series – Exterior Openings
4011 or 1461 Series – Interior
Openings

Finish: ANSI 689 or Aluminum Paint


Opening Force ADA Compliant

Acceptable Substitutes: Stanley

<http://www.lcnclosers.com>



Adjustable Spring Power
Size 1 thru 5



Push and Pull Plates

Manufacturer: Hager Hinge Co.

30S – Push Plates
H33G – Pull Plates

Finish: ANSI 630 or US32D

Acceptable Substitutes: Ives, Rockwood

<http://www.hagerco.com>



Pulls with 2 ½" Clearance –
Size as Required

Protective Plates

Manufacturer: Hager Hinge Co.

193S Series – Beveled 3 Edges

8" High

Finish: ANSI 630 or US32D

Acceptable Substitutions: Ives, Rockwood

<http://www.hagerco.com>



16 Gauge Material – 0.050 Inch

Door Stops

Manufacturer: Hager Hinge Co.

236W – Wall Mounted – Wrought

Concave

241F – Floor Mounted – Cast

Finish: ANSI 626 or US26D

Acceptable Substitutions: Ives, Rockwood

<http://www.hagerco.com>



Preferred Mounting Method –
Wall Stop – Floor Stop Where Wall
Stop Not Suitable

Electric Strikes

Manufacturer: HES, Inc.

1006 Series – Used with Mortise and
Cylindrical Locks

9500/9600 Series – Used with Rim
Exit Devices

Finish: ANSI 630 or US32D

Acceptable Substitutes: Von Duprin, Inc.

<http://www.hesinnovations.com>



Compatible with
UT Security/Access
Control System

Automatic Operators and Controls

Manufacturer: Dorma Automatics
ED700 Series – Must Comply with
Low Energy Operation Requirements
of ANSI A156.19
Finish: ANSI 689 or Aluminum Paint
Acceptable Substitutes: Besam Automatics
<http://www.dorma-usa.com>



Stand Alone - Access Control

Mechanical Locks

Manufacturer: Kaba/Simplex
1000 Series; 5000 Series
Must Accept Best Access Small
Format Interchangeable Cores
Finish: ANSI 626 or US26D
Acceptable Substitutes: None
<http://www.kaba-ilco.com>



1000 Series

5000 Series