

Facilities Services Weekly

June 13, 2022



Reminder from Training: Check Your Transcripts!

If your birthday falls from January – March, make sure you have gotten any added training completed before the end of this next quarter! You can check this by logging into K@TE, click on "My UT K@TE Learning", and on the left you should see if you have assigned trainings to complete. If you have questions, contact Training.

Congratulations, Maria Martinez!

Design Services' Maria Martinez has been selected as a member of UT's Commission for Women. Maria was selected from an impressive candidate pool, and we know she will bring unique perspective and strong leadership to an already incredible team who strive to better support and serve historically underserved members of our campus community and beyond. We are so proud, and we know she will represent Facilities Services well!

Bicycle/Pedestrian Driver Training Recap

If you weren't able to attend last week's Bicyclist/Pedestrian Driver Training presented by Bike Walk Knox, you missed out! This training was insightful and helpful for every day commuters - not just those who drive on campus. The training was engaging and educational as it covered Tennessee laws regarding right of way, how to share the road with human-powered modes of transportation, and what to look for when driving so that you keep yourself and pedestrians/cyclists safe. If you're interested in this excellent training opportunity, be sure to let Rebecca Alcorn know.

Ad Astra to be Replaced by 25Live

Conferences and Event Services, in partnership with the Registrar's Office and OIT, is excited to announce the rollout of a new room scheduling platform, College Net 25Live. The 25Live system will replace Ad Astra as the official scheduling software for all campus classrooms, meeting/event spaces, and outdoor locations. The new system will be phased in over the month of July and ready for campus-wide use by August 1, 2022. More information can be found [here](#).

Internal Positions Open

We currently have several open positions! If you are interested in applying, visit <https://hr.utk.edu/staff-positions/> and click the "Staff Positions for Internal Candidates" link.

E01-7220	Building Services Foreman	E01-7218	Plumbing & Heating Specialist I
E01-7202	Facilities Space Coordinator	E01-7224	STAR Team Member
E01-7205	Steam Plant Mechanic (SR)	E01-7212	HVAC Foreman
E01-7212	HVAC Spec II (SR)		Multiple openings for -
E01-7212	HVAC Spec I		Building Technician
E01-7217	Painter Asst III		Maintenance Spec II
E01-7217	Sign Design Spec		

ADMINISTRATION

FACILITIES OPERATIONS

Special Projects:

- Serving on the Culture Committee
- 4th of July party planning & logistics
- Logistics and planning for Coffee & Conversation events
- TCO Inventory

Building Services:

- In Humanities cleaned carpet and desks in 71A,71B,71C,70,69,68,58,57
- Cleaned and ran the Microbial in A&A, CBT, Temple
- Continue to clean carpet through out CBT
- Stripped and waxed 1st floor bathroom in Temple
- Cleaned and detailed railing ledge on 2nd floor of A&A

Facilities Services Weekly

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

BUILDING SERVICES CONTINUED:

- Scrubbed and wax suite 201 in McCord Hall
- Carpet cleaning in suite 300 in Morgan Hall
- Cleaned windows outside of suite 127 of Kingston Pike building.
- Carpet was cleaned in Fiber and Compost.
- Stairwells in Jesse were detailed.
- Hoskins floors were scrubbed with the walk behind.
- Cowan Cottage was microbial sprayed.
- Law College is cleaning carpet in the libraries.
- Carpet is beyond cleaned in Mossman.
- Lab tablets are being cleaned on third floor of Strong.
- Dabney halls and stairs detailed, rooms 475, 511, and 476 carpet cleaned, all bathrooms scrubbed.
- Ayers Hall all stairs and halls detailed and buffed, classrooms detailed, rooms 116 and 119 buffed.
- Walters Life carpet cleaned and rooms microbial sprayed in rooms 307, 309, and 311 microbial sprayed all bathrooms and classrooms on 4th floor.
- Nursing education building room 203 and 419 scrubbed and waxed.
- Austin Peay front entrances detailed, bathrooms scrubbed.
- Hesler auto scrubber used on all floors, classroom 427 microbial sprayed.
- FabLab detail cleaned main areas and bathrooms and windows
- Burchfiel all bathroom and classrooms microbial sprayed.
- South college scrubbed all bathrooms
- Nielsen all bathrooms scrubbed
- Ayers Hall carpet cleaned in room 312
- Austin Peay stairs detailed.
- AHT P2 lobby and hallway, and bathroom floors scrubbed and waxed
- 4th floor AHT detail vacuumed
- High dusting above windows on 4th floor Comm/SS
- Stairs in Comm/SS swept, dusted, and mopped
- Bathroom partitions in AMB on Ground Floor scrubbed down and shined up
- 2nd, 3rd and 4th floor of Bailey High Sped
- Crossover between Bailey and Claxton on 3 and 4 High Sped
- 2nd floor of Claxton High Sped
- Staircases in AMB were swept and dusted

Landscape Services:

- NCAA Baseball Tournament: Provide support with road closure barricades and tailgating activities
- Event Lawns: Verticut for summer growth
- Campus wide tree pruning to address spring flush of growth
- Zeanah Engineering: Participate in landscape and irrigation punch item walk-through with contractor and designer
- Rocky Top Dining: Participate in landscape and irrigation one-year warranty inspection with contractor and designer
- Golf Facility: Exploratory excavation and repair of drop-out
- Claxton Chiller bldg.: Provide excavation for steam leak
- CDL training for job-specific staff members during the month of June
- Assist UT Gardens with mowing until they can fill vacant positions (cont)
- Burchfiel Geography: Repair irrigation and landscape following fire supply water main break repair (cont)
- Robinson Hall First Impression Sidewalk: Irrigation and landscape repairs (cont)
- Irrigation Systems: Monitor and repair as needed (cont)
- Campus-Wide Mowing: Making adjustments to route schedules to meet campus demands (cont)
- 22nd Street house: Adjust grade of back parking area to improve drainage (cont)
- Ayres Hill ADA staircases: Coordinate with FS Design on landscape plan for new staircases (cont.)
- Pedestrian Mall Expansion Phase II: Participate in weekly progress meetings (cont.)
- Concord Street Site: Demolition clean-up and fence repairs (cont.)
- Campus wide: Maintenance pruning to younger trees (on-going)
- Recruiting to fill vacant positions

Sanitation Safety:

- Completed pest control requests

ZONE MAINTENANCE CONTINUED ON PAGE 3

Facilities Services Weekly

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

ZONE MAINTENANCE CONTINUED:

ZONE MAINTENANCE

Zone 1:

- Still working on having all buildings flip and ready for conferences .
- We have conferences guest in Hess, Geier, Robinson, and Dogwood this week.
- The Ion air purifying system has been installed in Clement and the Carrick's now Reese will be started this Monday.

Zone 2:

- McClung tower - Repaired and rehung bathroom stall door on 12th floor, Cleaned and refilled Bull fountain, and Completed filter change for A/H's
- Humanities - Distributed filter for upcoming filter change
- Carousel theater - Met with different facility departments for accessing tunnel lights for steam outage and telephone services for cable routing.
- Clarence Brown - Repaired steam leak in lower machine room and Scrubbed and vacuumed fountain on plaza.
- Haslam music - Replaced threshold on roof access door.
- Communication and Andy Holt (street machine room - Started the Cleaning of cooling towers.
- Addressing all work orders

Zone 3:

- Zone 3 is continuing to upgrade lights in the ballroom at the Conference Center

Zone 4:

- Repaired cooler in Student Union Phase I
- Replaced gas solenoid at Student Union Phase II
- Repaired an oven door and a dish machine at Stokely
- Completed PMs on ice makers, coolers, and hot and cold wells in most buildings
- Repaired an exhaust fan at Mabel's in McCord Hall
- Repaired walk-ins and a pulper at Rocky Top Dining

Zone 5:

- At Neyland Stadium, checked and made repairs as needed and began checking the 2nd west bathrooms
- At the Football Complex, checked and adjusted chemicals in the pools
- At Allan Jones, checked and adjusted chemicals in pools

- At Sherri Parker Lee Stadium, checked and made repairs ahead of camps
- At Lindsey Nelson Stadium, checked and made repairs ahead of Super Regional against Notre Dame
- Throughout the zone, conducted general building maintenance

Zone 6:

- Generally maintaining environmental equipment.
- Generally addressing work order issues.
- Dabney repair gutter.
- Unlock doors.
- Cleaning cooling towers
- Air filter changing zone wide.
- Dabney control valve replacement.
- General led lighting project.

Zone 7:

- AMB : General Maintenance, Changed Filters and belts AHU # 5 & 6, worked on Events in Cox AUD. , repaired door closers, helped piano tuner move pianos , working on PM's .
- Zeanah : daily building checks, monthly PM's, reported problems to contractors.
- Tickle : Daily building checks, replaced broken bulbs, tightened loose pipe unions, ran generator, worked on PM's.
- SERF : Routine building checks, fixed/replaced ceiling tiles, traced leaks, repaired leaking valves, replaced leaking vacuum breakers, reinstalled soap dispensers that had been torn down, assisted construction services as needed, assisted A/C shop as needed, assisted contractors as needed, assisted other buildings in zone as needed.
- Nuclear: Routine building checks, assisted other buildings in zone as needed.
- Jessie Harris : Weekly building check, Daily equipment check, Monthly mold check, Checked elevator tracks, Checked generator, Repaired & replaced 2 window AC units, Monthly sprinkler check.
- Fiber & Composites : Weekly building check, Daily equipment check, Monthly mold check, Checked elevator tracks, Monthly sprinkler check, Monthly mold check.
- SENTER Hall : Weekly building check, Daily equipment

ZONE MAINTENANCE CONTINUED ON PAGE 4

Facilities Services

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

ZONE MAINTENANCE CONTINUED:

- check, Monthly mold check Checked & ran generator, Monthly sprinkler check, Monthly mold check.
- Ferris Hall : Conducted daily walkthroughs and weekly walkthroughs. Repaired leaking AHU in attic.
- Perkins Hall : Conducted daily walkthroughs and weekly walkthroughs. Disconnected decommissioned Leslie and manifold from steam and condensate lines. Capped lines.
- Min Kao : Working on lights, working on restrooms, working on ceiling tile, doing building checks.
- Dougherty : General Maintenance.

Zone 8:

- We will be cleaning more outside condensing units this week.
- Our One-Call continues to receive calls from campus and outlying buildings away from main campus.
- We have installed a new cooling tank and plumbing in Greenhouse 17.
- Many of our chill water coil units are requiring frequent back flushing with the problems of our chill water loop.

Zone 9:

- We have been replacing some recent plumbing after issues at the Middlebrook building.
- Our main chill water pump is awaiting shipment of new seals to make necessary repairs.
- We are still waiting to hear back from Camel custom canvas for new awning work at Glazer and Middlebrook buildings.

ZM Specialties:

- Checked air flows for fume hoods in Dabney-Buehler, Strong Hall, Hesler Biology, and Mossman
- Checked temps and humidity at Hoskins Library
- Air balancing 407 suite at Claxton Education
- Attached photographs to switchgear and transformer equipment records on circuit 1, LA-4, LA-5
- Updated coordinates for electrical equipment in Archibus to match ArcGIS
- Preparing electrical equipment geospatial report for TCO meeting
- Replaced lights in G16 garage
- Repaired decking on pedestrian bridge at Gate 21
- Transported lifts to various campus locations
- Checking water leaks at Andy Holt Tower and other

- locations
- Replaced windows at Clement Hall
- Assisting Design team with window selection
- Lock & Key Services:**
- Baker Center – install combination lock
- Presidential Court – rekey locks
- Bailey Education – install locks on cabinet and rekey door
- Middlebrook Pike Bldg. – rekey locks for new department
- Music – repair lock
- Pi Kappa Phi – change combinations
- Zeanah – installing cores, assisting as needed
- On Campus – assisting as needed
- Front office – processing key request, key pickup and drop off
- University Housing – many recores and repairs

UT Office of Sustainability/Recycling:

Recycling Totals for June 6 - 12

- Bottles/Cans: 2,860 lbs.
- Paper: 9,000 lbs.
- Cardboard: 0 lbs.
- Agriculture Waste: 12,350 lbs.
- Food: 1,600 lbs.
- Landscaping Waste: 1,700 lbs.
- Grease Water: 0 lbs.
- Total: 27,510 lbs. /9.17 tons
- Pallets: 0

Recycling Totals for Fiscal Year 22:

- Bottles/Cans: 277,760 lbs. / 138.88 tons
- Paper: 413,200 lbs. / 206.6 tons
- Cardboard: 390,950 lbs. / 195.48 tons
- Agriculture Waste: 895,513 lbs. / 447.76 tons
- Food Waste: 620,360 lbs. / 310.18 tons
- Landscaping Waste: 734,209 lbs. / 367.1 tons
- Total: 2,597,783 lbs. / 1,298.89 tons

- 27 people showed up to the free store last week! The Free Store is also open as part of the summer orientation schedule
- The application for recognizing UT as a Bicycle Friendly Campus is officially submitted!

COMM & INFO CONTINUED ON PAGE 5

Facilities Services Week-

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

COMM & INFO CONTINUED:

- The Grow Lab donated a total of 4.9 pounds of produce to the Big Orange Pantry last week!

COMMUNICATIONS & INFO SERVICES

Communications & Public Relations:

- Send any photos of your work team that you'd like to see featured on FS social media directly to Sam at sjones80@utk.edu or 865-771-1531
- The electronic employee comment box can be found at tiny.utk.edu/fscommentbox.

Employee Training & Development:

Training News:

- 2022 OSHA Training UPDATE** - There have been department-wide changes made to the required OSHA training for calendar year 2022. If you have already completed your OSHA training for this calendar year, please log into K@TE to verify that nothing has been added to your transcript. Almost every unit has seen changes to their training requirements and therefore almost every person still has training to complete. Please contact Rebecca at ralcorn@utk.edu should you have questions pertaining to your OSHA training.
- APPA has resumed in-person training! If you're interested, check out the link to learn more. <https://www.appa.org/continuous-learning/aoc/>
- Are you a non-exempt staff member that has found training that you're interested in but need a little extra money to attend the event? Don't forget to use the Career Development Fund. You can qualify for \$150 each fiscal year for career development training. That's money that you're not paying out of your pocket and your department isn't paying out of their budget! More information at this link: <https://hr.tennessee.edu/eod/career-development-fund/>
- The 2022 Training Calendar is available online!** Visit <https://fs.utk.edu/comminfo/training/> to view upcoming training dates, times and information throughout the year. The calendar is located below the "Login for online training" link. Check back often as new events and opportunities are added often!

Information Technology:

- Lots of Microsoft Office Updates
- Assisting with New Lighting Installation in 122
- Partial Processing of Computer Upgrade Program

- Paperwork.
- Remaining computers will arrive as Supply Chain allows.
- New Employee setup and Troubleshooting
- HR 114 Office Move
- HR 114 Upgrades for scanners and one workstation
- Recycling Assistance
- Work From Home Assistance
- DSL Modem Inventory for Telephone Services
- Fiscal Year End Price Estimates in progress
- Phishing Email Assistance (Good Job Everyone!)

UTILITIES SERVICES

A/C Services:

- Reset Lower rooftop unit and upper rooftop unit at Kingston Pike Bldg.
- Reset Phoenix control server at Strong Hall.
- Fixed leaking valve and rebooted actuator in 629 of SERF.
- Restarted AHU that serves room 31A at Hyper.
- Began writing program for new rooftop air unit at Dougherty.
- Trouble shot communication issues at Kingston Pike Bldg.
- Replaced faulty 24v transformer and phoenix control card in room 106 of Hesler Biology.
- Installed 2 electric actuators on in hood installation at JIAMS.
- Removed faulty actuator on return air damper at Claxton.
- Installed new Network Controller at HPER.
- Changed parameters on VFD for AHU's that serve offices at Lyndsey Nelson.
- Recalibrated monitor and reel sensor on fume hood that serves 641D at Mossman.
- Nursing – Install new AC system for suite 301
- Music – rebuild chilled water pump
- Delta Zeta – repair multiple WSHPs
- SMC – repair chiller no. 2
- Mossman – repair chilled water leak
- CRC -repair multiple AC systems
- Culinary - repair AC system for lobby area
- Middlebrook – repair chiller
- Arena – repair heating water coil in AHU 14

UTILITIES CONTINUED ON PAGE 6

Facilities Services Weekly

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

UTILITIES CONTINUED:

- Stokely – repair make up air units
- Rocky Top – replace board on cooler no. 3
- SERF -repair cooling tower no. 6
- Alumni – rebuild heating water pump

Electrical Services:

- Daily 1-800's.
- TBA trouble shoot smoke detector. In room SL212 not blinking.
- Jewel Building clean duct detector.
- Stokely Hall troubleshoot A/V on the 8th floor.
- Kingston Pike check flow switch for sprinkler system.
- Vol Hall change smoke detector and base on the 7th floor hallway.
- Alumni Mem. Replace bad IAM module.
- Laurel Hall replace sounder base.
- Delta Gamma replace outside A/V.
- Hess Hall replace smoke detector. In elevator pit.
- Baseball troubleshoot short circuit.
- Support Services assist in replacing new ATS.
- Zeanah disable /enable fire alarm devices for concrete cutters.
- Baseball assist Simplex in trouble shooting earth grounds.
- Delta Zeta replace two sounder base and smoke heads.
- Hodges assist Simplex in inspections.
- Rocky Top Dining assist Rapid Fire in testing.
- Hodges assist Simplex in inspections.
- Dabney disable/enable smoke detector. For the plumbers.
- Carrick Hall clean dirty smoke.
- Zeanah disable /enable fire alarm devices for concrete cutters.
- MASCO assist daily with pump inspections and repairs.
- Perkins Hall replace batteries in the LSP.
- Hodges work on maglock on the 1st. floor.
- Andy Holt check on maglock P1 Level.
- Clearance Brown replace controller.
- Student Union 2 remove panic buttons on the 3rd. floor.
- Student Services check on card reader issue.
- Cowden Cottage check on door strike problem.
- Haslam Bus. work on emergency alert problems with

- telephone services.
- CHEROKEE FARM - cont., working on repairing bollard lights not working. Changing the 2 LED drivers with new ones on the lights that are out near Amphitheater. PROJECT (2 drives per bollard) (worked on off and on all week.)
- VET. SCHOOL – Cesar showing George area to check on - for the temp heaters installed in room, because no steam from the steam outage week. (monitored all week due to steam outage)
- PERKINS HALL – after the H.V. outage for Ferris Hall – reported A/C fault on the fire panel – check the fire panel in both buildings and reset both panels. (both was showing clear and power, but C.A. was reporting A/C fault in Perkins, reset the panel. (SATURDAY MAN)
- CLEMENT HALL DORM - dis-able some smoke detectors for the A/C shop working in area with devices. After they completed work – re-enable the devices. (SATURDAY MAN)
- C.B.T – assisted Cory C. in changing out a controller for the L.P.S. panel for the building. (SATURDAY MAN)
- A/A BUILDING - fire alarm in building – check out and reset the fire panel to reset the alarm. (SATURDAY MAN)
- EQUITY AND DIVERSITY – fire panel trouble – panel showing card 1 in trouble, acknowledge the panel and let 1st shift know. (SATURDAY MAN)
- NEYLAND STADIUM - CALL IN // - reported fire panel trouble – came in and check out; on arrival panel was showing normal.
- 1832 FRAT PARK – duct detector in alarm – check out – reset fire panel
- SERF – duct detector in alarm – check out – reset fire panel
- DOGWOOD DORM – fire panel trouble – keep going in and out of trouble.
- JARTU – couple ground flood lights out – getting info for LED bulb replacement. Waiting on quazite box to install on the other side of parking lot and then remove old in ground up lights.
- LINDSEY NELSON BASEBALL - fire alarm trouble earth ground trouble – assisted day shift in trouble shooting and tracing out issue. 100%
- PERKINS HALL – fire panel trouble on card 1 –

UTILITIES SERVICES CONTINUED ON PAGE 7

Facilities Services Weekly

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

UTILITIES SERVICES CONTINUED:

- acknowledge the fire panel and reset it also.
- SOUTH CARRICK DORM – fire panel trouble – dirty smoke detector – in room 1041.
- 2625 SORORITY VILLAGE CENTER ANN BAKER FURROW – fire panel trouble – on the A/V circuit – found an outside A/V device getting wet – acknowledge the panel – reported to 1st shift, they to change
- JARTU – cont., tracing the in-ground lights that will be removed.
- FACILITIES – finished compiling weekly time for the week of 5-23 thru 5-29-2022 and sent in
- FACILITIES – compiled weekly report for the week of 5-27 thru 6-2-2022
- LINDSEY NELSON BASEBALL – worked the 1st regional game at 2:00 pm // started the 2nd generator for the temp power to the 2nd Vol Shop trailer in street. / Worked the 2nd game (for the Vols), along with running spider box cables (not being used at Beer garden- house power) from the 3rd base power to the 2nd food trailer; Aramark had put in last minute. // after game was to provide power to a food truck in street (120 volt only) for their freezer. Ended up running the whole truck off the 2nd generator overnight
- FERRIS HALL – in prep work took the replacement PMH switch to site and unloaded for the scheduled outage for Saturday. Also check and marked the rotations on the 3 transformers for the building
- MAIN SUBSTATION – checking voltage on the meters for UTK MAIN 31 for CKTS. 7/8 and found bad reading on MAIN 31. Check the PT devices in the pit and 1 of 3 was reading bad. Scheduling for Siemens to come in and ordered 2 new PTs.
- LINDSEY NELSON BASEBALL – unhooked the food truck in street that was hooked up overnight for power and they ran on their own generator. Worked the 1st regional game. Then started the 2nd generator for Vol Shop Trailer and worked the 2nd Game Vols Regional.
- STEAM PLANT – part of steam outage – working with EATON doing P.M. work during steam outage. Turn off equipment, switching power to plant from CKT. 5 to 10, moving the MCC to other feed. Then LO/TO with EATON all equipment, also unhooking wires from transformers and equipment. On site while EATON on site.
- NEYLAND STADIUM – reprogrammed the EAST 2 banks of field lights to come on for the new work schedule that the GC requested. (for 2 weeks)

- PRESIDENTIAL COURT – on site meeting with design, engineers for the planning stage for the remodel of building. Then walked the site with Elect. ENG. – locating elect. panels, switch gear/boards, generator and transformer. (they were taking pictures)
- STEAM PLANT – on site to let EATON in and safety meeting. EATON cont., PM equipment. They found 6 blown fuses for the gas compressor. Look and found in cabinet in room (3 larger ones needed) Having to order 3 of the smaller ones.
- ZEANAH – reported that UT Construction elect group found new install buss duct having bad readings. B/C phases was reading good voltage, but A phase was not reading voltage and the Neutral had 120 volts to ground. They contacted Rick C. about the issue and we talked to Ed H., which he emails the GC about the issue to have SKEMS contractors to check out issue. Waiting on report.
- LINDSEY NELSON BASEBALL – started picking up temp power to Beer Garden (house power finished) cords, yellow jackets, and unhooking generator. Later Athl. Ask to use yellow jackets across GF1 lot for the super regionals.
- FACILITIES – working in Archibus to close W.O.'s before end of year.
- STEAM PLANT – on site – safety meeting – working with EATON for the P.M. of high voltage gear. Later locked up the rooms.
- FACILITIES - weekly Utilities meeting with WES.
- STEAM PLANT – on site – safety meeting – cont., working with EATON for the P.M. of the high voltage gear. Also request to install temp power for a welder for the Plumbing shop to weld some stainless-steel pipe for the plant, during the steam outage. Located material and pick up and installed the S.O. temp cord and outlet hooked up to a disconnect, turn on and tested. Checking on 6 fuses that was to be delivered on 6-9-22 (tracking # saying late Friday around 7:00 pm) Re-ordered thru different vendor that is next day airing them. (to be here after 10:30 am 6-9-22 Friday.) This for the gas compressors high voltage breaker.
- Troubleshooting and Repair of lighting in Steam Tunnels (On Campus) (on going)
- Troubleshooting and Repair of power at Walters Academic Bldg.

UTILITIES SERVICES CONTINUED ON PAGE 8

Facilities Services Weekly

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

UTILITIES SERVICES CONTINUED:

- Removed Temporary Power from roof at Haslam Business
- Installation of lighting contactor and photocell for Greve Hall roof top lighting
- Installation of heat trace for Baker Center Chiller
- Troubleshooting Power for AC unit at Massey Hall
- Troubleshooting and Repair power at Pedestal near Ferris Hall

Plumbing Shop:

- Pump steam vaults on campus
- Daily 1-800's.
- Steam week, performed maintenance on all steam valves and expansions on campus.

Steam Plant

- Steam outage last week.
- Repacked valves.
- Changed out chemical injection quills.
- Modified blowdown piping to install flow meter.
- Added crossover line to feed water piping.
- Worked on battery charger for turbine.
- Replaced vent piping on DA tanks.
- Replaced feed water discharge valve on steam driven feedwater pumps.
- Made final adjustments to dealkalizer brine tank level
- Opened and inspected both DA tanks.
- Changed out blowdown valve on #5 boiler.
- Changed gaskets on recirc. valve on DA tank.
- Cleaned all the computers, control cabinets.
- Added deflector plates on boiler #3.
- Cleaned steam pressure transmitter lines on steam header.
- Cleaned site glasses on tanks.
- Had picnic.
- Worked on lighting.
- Worked on DA pressure transmitters.
- Replaced probes on #3 boiler eye-hye
- Checked probe on #3 boiler conductivity meter.
- Lite off # boiler to bring Plant back on line.

CONSTRUCTION SERVICES

- Alpha Tau Omega: Interior fence for storage area
- Anderson Training Center: Hand sink in Smokey's

- Aramark Food Areas: Install FRP in multiple locations; Cumberland Food Court-painting and FRP
- Art and Architecture: New chairs 213, 345, 345A; Replace lights and controls 215A; Office furniture 201 and 213
- Austin Peay: Repairs to 410E
- Ayers Hall: Install lockers in G012; Soundproof doors 208 and 247; Access control for 227L
- Bailey Education: Paint and carpet A414; Paint 231, 511, 513, 516, 517
- Bass Building/Body Farm: Clearing and new fences for Body Farm expansion
- Blount Hall: Paint and carpet 104 and 105
- Burchfiel Geography: Paint, cabinet reface and floor polishing 318; Furniture for 318 and 304C
- Campus: Replace University Seals; Sculpture Maintenance; Replace elastomeric couplings on fire pumps with metal grid couplings; Refurbish outdoor basketball courts behind Fraternities; Add receptacles for Aramark at various locations; Armed Forces Memorial; Classroom Renovations for Summer 2022; Dumpster pad by Central Greenhouse; Concrete pad install and set statue of Smoky 11; Bike racks in Vol Parking Garage
- Ceramics: Repair work to Seigy kiln
- Claxton Building: Rework Dean's suite 344L; Painting, etc. 203A; Paint 225; New rooms 407
- Communications: Renovate 302B; Paint 66B, C, D, 107M, 473, 462; track lighting 089; Paint and other work 81
- Composting: New stairs for office trailer
- Conference Center Building: Paint 211 and 311E; Move State Comptroller 307; New sign 432; Push button lock 309
- Dabney Buehler: New HVAC units 550, 552, 553; Replace fume hoods in 408, 507, 508, 607, 608; Paint 481
- Delta Tau Delta: Repairs from vandalism
- Dougherty Engineering: Carpet 407, 407A, 407C; Renovate 101 for welding and robotics lab; Painting 508
- Dunford Hall: Paint 2633 and 2640
- Early Learning Center: Additional A/C unit for kitchen at 2010 Lake; Fence for playground expansion on White Ave.
- Equine Animal Building: Replace damaged awning
- Equity and Diversity: Storm door and awning
- Facilities Services Complex: Security film on conference room glass; Bird repellent
- Ferris Hall: Paint 414; Patch and paint on 2 and 5

Facilities Services Weekly

June 13, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

- Food Science Building: Renovate 215 for Creamery kitchen
- G7 Parking Garage: Replace transformer and electric panels
- G16 Parking Garage: Car counting system
- Greve Hall: Renovate G005 for Smokey's Pantry; Year around steam to HVAC units on 1st floor
- Haslam Business Building: Paint the building interior; Window glass in doors 318, 321, 322; Combine 319 and 320 for offices; Renovate 308 for Marketing & Comm. staff; Window film 258
- Hodges Library: Renovate 252; New lighting and painting 199A; Paint, carpet, millwork 605; Seal serving line floor in Starbucks; Paint 552
- International House: Divide 110 into 2 offices
- Jessie Harris: Expand server room 208/209; Build offices in 102; Paint 239 and 414
- Jewel Building: New garage door for basement
- JIAM: Electric work G026; Install utilities to ventilated cylinder cabinet; Cylinder straps, electric and chilled water 158B; Project for 5G Research G004: Lab utilities 258A
- Kingston Pike Building: Install Opticool rack system; Renovate 135 into on-line studio; Renovate south end of 135-cubicles, paint, flooring; Paint 121
- Lindsey Nelson Stadium: Electric and fire suppression 208
- McClung Museum: Panic buttons in lobby
- McClung Tower: Vinyl flooring 5; Paint and carpet 609 and 613
- McCord Hall: Lab renovation 054;
- Melrose: Sign E section; Paint G202; New furniture G301 and G302; Paint G102
- Middlebrook Building: Carpet in suite 221
- Min Kao: Sediment trap on chilled water 117
- Morgan Hall: Paint 126C and 102A; Power and data for monitor 302F1
- Music Building: Paint and electric work 131
- Nielsen Physics: Remodel room 217 into a lab
- Perkins Hall: Fire Marshal POCA list
- Pratt Pavilion: Camera raceways on roof
- SERF: Utility work and drains for polisher in 309; Emergency power 510
- Sigma Kappa: Remove a section of wall to open room; Paint and flooring; Install chandeliers; Electric circuit forw exhaust fan
- SMC: Signage for 2nd floor; Carpet 303; Receptacle in 228; Paint 306A; Door film on 2nd floor; Move Faculty Members on 6

- Tickle Engineering: Alterations to 503 for offices and meeting space
- UT Drive Services Building A: Paint bookcases 208B
- UT Drive Services Building B: Renovation 101 for sculpture studio; Exhaust, electric and cylinder rack for wind tunnel
- Vet Med Center: Utility connections for sanitizer
- Volunteer Hall: Painting on 7 and 8
- Zeanah Engineering: Install plaques; Add for emergency messaging to fire alarm system; Chilled water manifolds
- Zeta Tau Alpha: Paint bathroom; Poles for outdoor lights; Replace some indoor lights
- 1610 University Ave.: Repair crack in building brick veneer
- 1817 Melrose Avenue: Carpet the stairs
- 11th Street Garage (UTPD): Office cubicle for 132
- 22nd Street Duplex: Painting, 1 door replacement, ramps

FACILITIES SERVICES Employee Comment Box Locations:

- Facilities Services Complex Break Room
- Facilities Services Shop Area
- Steam Plant (near time clock)
- Steam Plant Hill (Landscape Supply Room)
- Hodges Library 1st Floor Service Hallway
- SERF Outside of Room 426
- The electronic employee comment box can be found at tiny.utk.edu/fscommentbox.



To suggest an additional box location, or for more information, please contact Sam Ledford at sjones80@utk.edu.



T FACILITIES SERVICES



**Join us for an in-person
4th of July
Employee Appreciation Party**



**Friday, June 17 at 11:30a
Student Union Ballroom**

Prizes | Food | Fun

Shuttle Schedule:



**10:45a - Conference Center | 11:00a - FSC | 11:15a - Ag Campus
Ag Campus Pick-up at Joe Johnson and Service Drive**

**If you have questions about the event or shuttle service, please
contact Veronica at 974-2391 or vhuff@utk.edu**

